NV ROSEBUD DEADLANDS
SURFACE GEOCHEM 1997

60008661

AMERICAN ASSAY LAB[illegible]TORIES
1500 GLE[illegible]LE AVE.
SPARKS, NV 89431
PHONE: (702) 356-0606
FAX: (702) 356-1413

CLIENT: SANTA FE PACIFIC GOLD CORP.
CLIENT REF: ROSEBUD JV
AAL REF: SP042484
METHOD: AAL 01-0

ELEMENT / SAMPLES	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sb ppm	Sr ppm	Th ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
RRB12-001	0.7	0.46	11	< 3	76	< 2	0.77	0.3	3	31	17	3.96	1	0.2	26	0.02	634	5	0.1	11	0.039	5	2	78	7	0.03	10	8	< 2	112
RRB12-002	0.8	0.5	9	5	46	< 2	0.48	< .2	2	10	7	3.42	1	0.15	34	0.03	320	2	0.07	3	0.043	14	< 2	36	9	0.04	< 5	16	3	67
RRB12-003	< .3	0.5	5	< 3	52	< 2	0.31	< .2	2	17	9	4.22	2	0.2	37	0.02	287	3	0.07	6	0.029	21	< 2	21	11	0.04	< 5	12	3	101
RRB12-004	< .3	0.99	21	33	81	< 2	0.34	0.5	2	21	18	3.81	2	0.29	21	0.09	165	6	0.38	8	0.022	12	10	74	7	< .01	7	18	< 2	34
RRB12-005	< .3	0.61	15	13	61	< 2	0.18	< .2	1	23	13	3.12	1	0.23	17	0.07	172	4	0.14	8	0.011	16	7	42	9	< .01	7	7	< 2	17
RRB12-006	< .3	0.56	10	10	34	< 2	0.19	< .2	1	11	10	2.81	1	0.15	22	0.06	283	3	0.18	5	0.019	18	3	41	10	0.03	< 5	6	3	72
RRB12-007	3.4	0.81	325	11	80	< 2	0.17	0.3	2	15	14	5.33	< 1	0.22	16	0.01	140	38	0.21	6	0.028	47	38	99	5	< .01	< 5	30	< 2	121
RRB12-008	9.8	1.05	227	14	85	2	0.22	< .2	2	15	37	5.78	< 1	0.34	16	0.04	160	205	0.88	7	0.015	67	40	55	10	< .01	< 5	39	2	139
RRB12-009	20.4	0.88	78	17	252	< 2	0.13	< .2	1	15	12	3.31	2	0.32	14	0.03	107	7	0.69	5	0.008	15	9	30	8	< .01	< 5	6	< 2	33
RRB12-010	25.8	0.77	143	9	148	3	0.16	< .2	1	17	25	3.58	1	0.24	26	0.02	128	9	0.51	7	0.009	12	22	28	5	< .01	< 5	5	< 2	23
STANDARD C2	7.1	2.06	46	27	202	27	0.54	20.6	38	66	60	4.06	2	0.15	39	0.96	1125	20	0.07	74	0.106	39	14	53	38	0.09	13	75	13	150

AMERICAN ASSAY LABORATORIES
1500 GLENDALE AVE.
SPARKS, NV 89431
PHONE: (702) 356-0606
FAX: (702) 356-1413

CLIENT: SANTA FE PACIFIC GOLD CORP.
CLIENT REF: ROSEBUD JV
AAL REF: SP042484
METHOD: AAL 06-0

ELEMENT / SAMPLES	SiO2 %	Al2O3 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	TiO2 %	P2O5 %	MnO %	Cr2O3 %	Ba ppm	Sr ppm	Zr ppm	Y ppm	LOI %	SUM %	Sc ppm	LOI %	SUM %
RRB12-001	67.8	14.06	5.97	0.2	1.31	3.34	5.18	0.29	0.12	0.08	0.004	1101	221	279	25	1.4	99.94	10	3.7	100.01
RRB12-002	66.04	15.28	5.33	0.16	0.91	3.92	4.77	0.34	0.13	0.05	0.001	936	146	286	28	2.3	99.39	10	3.1	99.32
RRB12-003	66.7	14.73	6.12	0.15	0.72	3.63	4.87	0.3	0.09	0.04	0.002	893	124	277	36	1.5	99.01	10	3	99.56
RRB12-004	71.1	12.26	5.24	0.2	0.46	1.26	4.5	0.17	0.08	0.02	< .001	655	96	207	24	4.3	99.71	10	3.2	99.39
RRB12-005	73.99	11.81	4.51	0.17	0.33	1.14	4.7	0.16	0.06	0.03	0.002	681	76	209	31	2.9	99.92	10	2	99.11
RRB12-006	69.06	14.62	4.58	0.27	0.33	1.38	5.5	0.18	0.09	0.04	0.001	681	70	238	30	3.4	99.57	10	13.3	99.79
RRB12-008	57.59	16.23	8.89	0.32	0.26	1.33	8.28	0.2	0.07	0.02	< .001	1466	89	228	26	6.1	99.5	10	3.3	99.13
RRB12-009	70.55	11.84	4.59	0.21	0.18	1.17	5.74	0.18	0.07	0.02	0.004	1275	57	215	27	4.3	99.04	10	3.3	99.3



AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO42484

American Assay Laboratories

CLIENT : SANTA FE PACIFIC MINING
PROJECT : ROSEBUD JV
REFERENCE : RRB12

REPORTED : 26 FEB 1997

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Ag D210 ppm	As D210 ppm	Hg D210 ppb	Sb D210 ppm
RRB12-001	66		2.8	10	76	2
RRB12-002	9		1.3	11	19	4
RRB12-003	8		<0.5	5	<5	2
RRB12-004	<5		0.7	21	119	17
RRB12-005	9		0.5	18	92	12
RRB12-006	<5	<5	<0.5	6	<5	6
RRB12-007	1000		3.4	352	67	125
RRB12-008	1471	1544	8.6	224	317	101
RRB12-009	630		19.5	57	480	22
RRB12-010	415		24.0	137	394	48

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO42484

American Assay Laboratories

P.O. BOX 11530
RENO, NV,,USA
Ph.1-702-356-0606, Fax.1-702-356-1413

SANTA FE PACIFIC MINING

COPIES TO : RICHARD DIXON
: RADU CONELEA
:
:

RECEIVED
FEB 28 1997
SANTA FE PACIFIC GOLD
RENO

CLIENT REFERENCE No: RRB12
No. SAMPLES : 10
MAIN SAMPLE TYPE : ROCK CHIPS

RECEIVED : 6 FEB 1997
REPORTED : 26 FEB 1997

NEVADA LEGISLATIVE DISCLAIMER :-
The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project.

ANALYSIS	ANALYTICAL METHOD	QUALITY PARAMETER	UNIT	DETECTION
Au	FA30	15%	ppb	5
Au(R)	FA30	15%	ppb	5
Ag	D210	10%	ppm	0.5
As	D210	10%	ppm	2
Hg	D210	10%	ppb	5
Sb	D210	10%	ppm	1

SIGNATORY : Sue King M.S.

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO42924

American Assay Laboratories

CLIENT : SANTA FE PACIFIC MINING
PROJECT : ROSEBUD JV
REFERENCE : RRB-011/30

REPORTED : 18 MAR 1997

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Ag D210 ppm	As D210 ppm	Hg D210 ppb	Sb D210 ppm
RRB-011	130		0.9	5	331	2
RRB-012	450		1.1	40	715	15
RRB-013	18		<0.5	27	930	16
RRB-014	<5		<0.5	16	29	12
RRB-015	6		<0.5	8	40	5
RRB-016	29		<0.5	4	1013	5
RRB-017	8		<0.5	6	12	4
RRB-018	63		<0.5	12	317	12
RRB-019	35		<0.5	18	139	17
RRB-020	<5		<0.5	8	192	2
RRB-021	24		<0.5	13	11	12
RRB-022	93		<0.5	4	1161	7
RRB-023	20		<0.5	6	27	3
RRB-024	44		<0.5	20	332	11
RRB-025	7		<0.5	5	158	2
RRB-026	<5		<0.5	2	24	1
RRB-027	<5	<5	<0.5	8	161	7
RRB-028	<5		<0.5	4	116	3
RRB-029	7		<0.5	15	330	8
RRB-030	9		<0.5	10	297	9

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO42924

American Assay Laboratories

P.O. BOX 11530
RENO, NV,,USA
Ph.1-702-356-0606, Fax.1-702-356-1413

SANTA FE PACIFIC MINING

COPIES TO : RICHARD DIXON
: RADU CONELEA
:
:

RECEIVED
MAR 2 4 1997
SANTA FE PACIFIC GOLD
RENO

CLIENT REFERENCE No: RRB-011/30
No. SAMPLES : 20
MAIN SAMPLE TYPE : ROCK CHIPS

RECEIVED : 10 MAR 1997
REPORTED : 18 MAR 1997

NEVADA LEGISLATIVE DISCLAIMER :-
The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project.

ANALYSIS	ANALYTICAL METHOD	QUALITY PARAMETER	UNIT	DETECTION
Au	FA30	15%	ppb	5
Au(R)	FA30	15%	ppb	5
Ag	D210	10%	ppm	0.5
As	D210	10%	ppm	2
Hg	D210	10%	ppb	5
Sb	D210	10%	ppm	1

SIGNATORY : Sue King M.S.

AMERICAN ASSAY LABORATORIES

PROVISIONAL REPORT SP043755

CLIENT : SANTA FE PACIFIC GOLD
PROJECT : ROSEBUD EXPLORATION
REFERENCE : RRB12-031/038

REPORTED : 29 APR 1997

SAMPLES	Au	Au(R)	Au(OZ)	Au(RZ)	Ag	Ag(OZ)	As
RRB12-031	19000		0.554				
RRB12-032 FE1&2	337350		9.840				
RRB12-033	1200		0.035				
RRB12-034	450		0.013				
RRB12-035 ✓	866		0.025				
RRB12-036	111		0.003				
RRB12-037 ✓	52		0.002				
RRB12-038	57		0.002				

call Ray - 8 am start Thurs.

04/29/1997 16:20 7023561413 AMERICAN ASSAY LABS PAGE 02

American Assay Laboratories

INVOICE

Remit To: P.O. Box11530
Reno, Nevada 89510
Phone NO.: 702-356-0606
Fax No.: 702-356-1413

AMERICAN ASSAY LABORATORIES
1500 GLENDALE AVE.
SPARKS, NV 89431

(702) 356-0606

INVOICE NO: SP 0042484-IN
INVOICE DATE: 02/25/97

INVOICE TO:
SANTA FE PACIFIC GOLD CORP.
250 SOUTH ROCK BLVD.
SUITE 100
RENO NV 89502

SANTA FE PACIFIC GOLD CORP.
250 SOUTH ROCK BLVD.
SUITE 100
RENO NV 89502

CUSTOMER P.O.	PROJECT	TERMS
RADU CONELEA	ROSEBUD J.V.	NET 30 - DUE IN U.S. DOLLARS

QUANTITY	DESCRIPTION	PRICE	AMOUNT
10	SAMPLES RECEIVED	.00	.00
10	JAW CRUSHING CHARGE	1.30	13.00
10	SPLITTING CHARGE	.60	6.00
10	KEEGOR MILLING CHARGE	2.00	20.00
10	Au (1 A.T. FIRE ASSAY)	8.00	80.00
10	HYDROCHLORIC/NITRIC DIGEST	2.00	20.00
10	AgAsSbHg ANALYSES	8.60	86.00
10	MULTI-ELEMENT ICP PACKAGE	7.50	75.00

RECEIVED
FEB 28 1997
SANTA FE PACIFIC GOLD
RENO

INVOICE APPROVAL

Project or Dept. No.: 10025		
Task No.: 70925		
Expenditure Type: Rock GEOCHEMICAL ANALYSIS		
Invoice Description (Optional):		
Material Received / Work Performed	RL	
Prices Approved	RL	
Extensions and Math Checked	RL	
Approved for Payment		

NET INVOICE:	300.00
✓ LESS DISCOUNT:	90.00
FREIGHT:	.00
INVOICE TOTAL:	210.00

SP

SUBMITTAL FORM

American Assay Laboratories

Geochemical • Environmental • Metallurgical

Sparks Office
1500 Glendale Ave.
Nevada 89431
Box 11530
Reno, NV 89510
Telephone
(702) 356-0606
Fax
(702) 356-1413

Tucson Office
2775 E. Ganley
Tucson, AZ 85706
Telephone
(520) 294-8078
Fax
(520) 294-6352

Elko Office
2320 Last Chance Rd.
Nevada 89801
Box 2908
Elko, NV 89801
Telephone
(702) 738-9100
Fax
(702) 738-2594

Mazatlan Office
Telephone/Fax
011-52-69-170035

Other Offices
Lima, Peru
Santiago, Chile
Mendoza, Argentina

Company: SANTA FE PACIFIC GOLD CORP

Address: 250 So. Rock Blvd. Ste 100

City Reno State NV Zip 89502

Telephone Number: (702) 858-8000 Fax Number: (702) 858-8011

Project Name: ROSEBUD Purchase Order Number:

Date Submitted: 4/20/97 Number of Samples: 8

RESULTS REPORTED IN: ppm [ ] ppb [ ] opt [ ]

SAMPLE IDENTIFICATION	TYPE	ELEMENTS REQUIRED
RRB12 - 031	ROCK	
RUSH→ " - 032		RUSH - AU ONLY
" - 033		
" - 034		
" - 035		
" - 036		
" - 037		
REE(FA " - 038		REE(FA - AU ONLY
FOR 032 & 038		PLEASE FAX THE RESULTS
		TO FAX @ (702) 623-6912 ext. 118

AU {ppb/opt / 30 grams FA
AS ppm
SB ppm
Hg ppb
Ag ppm/opt

COARSE REJECTS (Normally Discarded After 60 Days)

[ ] Return COD after analysis complete

RESULTS AND INVOICES TO BE SENT TO:

Invoice to:

Radu Conelea SFPG
250 So. Rock Blvd
Reno NV 89502

Results to:

Radu Conelea SFPG

Charlie Muerhoff - Hecla
Rosebud Mine

PULPS (Normally Stored Free For One Month)

[ ] Discard after one month
[ ] Return COD after one month

Comments:

REE's FA AU

032 & 038

Fax to 702-623-6912 ext 118

CLIENT FILE COPY

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SP042484

American Assay Laboratories

P.O. BOX 11530
RENO, NV,,USA
Ph.1-702-356-0606, Fax.1-702-356-1413

SANTA FE PACIFIC MINING

COPIES TO : RICHARD DIXON
: RADU CONELEA
:
:

CLIENT REFERENCE No: RRB12 RECEIVED : 6 FEB 1997

No. SAMPLES : 10 REPORTED : 26 FEB 1997

MAIN SAMPLE TYPE : ROCK CHIPS

NEVADA LEGISLATIVE DISCLAIMER :-
The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project.

ANALYSIS	ANALYTICAL METHOD	QUALITY PARAMETER	UNIT	DETECTION
Au	FA30	15%	ppb	5
Au(R)	FA30	15%	ppb	5
Ag	D210	10%	ppm	0.5
As	D210	10%	ppm	2
Hg	D210	10%	ppb	5
Sb	D210	10%	ppm	1

SIGNATORY : Sue King M.S.

AMERICAN ASSAY LABORATORIES

AAL 01-0 ICP PACKAGE DETECTION LIMITS

ELEMENT	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sr	Th	Ti	U	V	W	Zn
UNIT	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	0.3	0.01	2	3	1	2	0.01	0.2	1	1	1	0.01	1	0.01	1	0.01	2	1	0.01	1	0.001	3	2	1	2	0.01	5	1	2	1

0.500 GRAMS OF PULP IS DIGESTED WITH HYDROCHLORIC AND NITRIC ACID AT 95 DEGREE CENTIGRADE FOR ONE HOUR.
DIGEST IS PARTIAL FOR B, Ba, Ca, Cr, Fe, La, Mg, Mn, Sr, Ti AND W.
DIGEST IS LIMITED FOR Al, K AND Na.

AMERICAN ASSAY LABORATORIES

AAL 06/0 ICP PACKAGE DETECTION LIMITS

ELEMENT	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	MnO	TiO2	P2O5	Cr2O3	Ba	Nb	Ni	Sc	Sr	Y	Zr	LOI	SUM
UNIT	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	0.02	0.03	0.04	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.001	5	10	20	10	10	10	20	0.1	0.01

0.200 GRAMS OF PULP IS FUSED WITH LITHIUM METABORATE AND THEN DISSOLVED IN 100 MLS OF 5% HNO3.
THE FUSION IS A TOTAL DIGEST.

AMERICAN ASSAY LABORATORIES

PROVISIONAL REPORT SP043755

CLIENT : SANTA FE PACIFIC GOLD
PROJECT : ROSEBUD EXPLORATION
REFERENCE : RRB12-031/038

REPORTED : 29 APR 1997

SAMPLES	Au	Au(R)	Au(OZ)	Au(RZ)	Ag	Ag(OZ)	As
RRB12-031	19000		0.554				
RRB12-032 FEELER	337350		9.840	☆ CLINE ?			
RRB12-033	1200		0.035				
RRB12-034	450		0.013				
RRB12-035 ✓	866		0.025				
RRB12-036	111		0.003				
RRB12-037 ✓	52		0.002				
RRB12-038	57		0.002				

call Roy - 8 am start Thurs.

Chemex Labs, Inc.

Analytical Chemists * Geochemists * Registered Assayers

994 Glendale Ave., Unit 3, Sparks
Nevada, U.S.A. 89431
PHONE: 775-356-5395 FAX: 775-355-0179

To: NEWMONT EXPLORATION LTD.

861 W. 6TH ST.
WINNEMUCCA, NEVADA
89445

Project : ROSEBUD
Comments: ATTN: C. BALLEW/R. VANCE PO#3637-477 (WILD ROSE)

Certificate Date: 31-AUG-1999
Invoice No. :I9925991
P.O. Number :3637-477
Account :TNI

CERTIFICATE OF ANALYSIS A9925991

SAMPLE	PREP CODE		Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)	Se ppm
NWRA5656	205	226	2	0.12	2	50	14	33	0.01	4	< 10	60	< 0.2
NWRA5657	205	226	< 1	0.29	< 1	600	16	126	0.14	9	< 10	36	8.2
NWRA5658	205	226	9	0.55	< 1	1810	18	148	0.14	4	< 10	322	2.2
NWRA5659	205	226	1	0.21	< 1	1030	18	125	0.23	27	< 10	54	26.0
NWRA5660	205	226	< 1	2.56	< 1	1040	30	310	0.35	33	< 10	108	< 0.2
NWRA5661	205	226	1	0.13	< 1	1180	16	120	0.15	26	< 10	102	13.8
NWRA5662	205	226	15	0.58	3	8260	8	254	0.10	98	< 10	564	8.0
NWRA5663	205	226	4	0.18	2	3900	6	664	0.12	42	40	82	0.8
NWRA5664	205	226	1	2.28	< 1	600	22	246	0.16	7	< 10	74	0.4
NWRA5665	205	226	3	0.15	1	940	26	60	0.07	5	< 10	160	1.0
NWRA5666	205	226	6	0.27	1	790	24	104	0.09	12	< 10	252	< 0.2
NWRA5667	205	226	5	0.36	< 1	520	38	87	0.09	6	< 10	178	3.0
NWRA5668	205	226	5	0.25	< 1	770	16	221	0.07	19	< 10	58	1.0
NWRA5669	205	226	1	0.15	1	610	30	105	0.11	19	< 10	68	1.0
NWRA5670	205	226	1	0.20	< 1	400	18	76	0.09	12	< 10	10	1.4
NWRA5671	205	226	50	0.23	4	5860	52	2170	0.04	39	< 10	184	6.4
NWRA5672	205	226	152	0.15	4	3830	2	66	0.01	19	< 10	588	< 0.2
NWRA5673	205	226	1	0.34	< 1	1210	16	262	0.16	14	< 10	38	7.4
NWRA5674	205	226	29	0.17	1	960	12	191	0.07	10	< 10	86	11.2
NWRA3556	205	226	10	0.30	1	1040	14	247	0.10	10	< 10	46	1.8
NWRA3557	205	226	< 1	0.16	< 1	700	6	187	0.10	8	< 10	14	1.0
NWRA3558	205	226	1	1.07	1	1260	22	167	0.16	20	< 10	260	< 0.2
NWRA3559	205	226	46	0.15	5	9030	8	880	0.01	16	60	426	7.8
NWRA3560	205	226	< 1	0.10	< 1	380	6	53	0.12	17	< 10	8	1.8
NWRA3561	205	226	1	0.36	< 1	780	18	152	0.21	25	< 10	30	2.2
NWRA3562	205	226	< 1	2.60	< 1	100	32	25	0.04	1	< 10	64	< 0.2
NWRA3563	205	226	2	0.53	< 1	500	22	228	0.23	20	< 10	104	4.0
NWRA3564	205	226	< 1	0.29	< 1	400	14	73	0.16	7	< 10	18	2.0
NWRA3565	205	226	1	0.14	1	470	12	40	0.18	25	< 10	56	3.2
NWRA3566	205	226	8	0.26	2	860	22	93	0.17	35	< 10	80	9.4
NWRA3567	205	226	3	0.16	1	880	6	493	0.04	29	< 10	10	2.6
NWRA3568	205	226	3	0.10	3	660	8	47	0.24	14	< 10	120	3.0
NWRA3569	205	226	3	0.13	1	370	8	55	0.11	12	< 10	20	0.6
NWRA4420	205	226	< 1	0.50	< 1	70	20	30	0.03	1	< 10	16	0.8
NWRA4421	205	226	1	0.22	1	120	32	33	0.02	2	< 10	42	10.8
NWRA4422	205	226	3	0.44	< 1	330	20	151	0.09	1	< 10	46	4.4
4424 R	205	226	< 1	2.38	< 1	90	28	75	0.04	2	< 10	132	< 0.2
LM4425 V	205	226	3	0.98	1	310	36	65	0.03	10	< 10	264	< 0.2
4426 WR	205	226	< 1	1.13	< 1	110	30	47	0.04	2	< 10	50	< 0.2
4427 R	205	226	< 1	1.20	< 1	100	26	61	0.04	1	< 10	54	< 0.2

CERTIFICATION: _____

Chemex Labs, Inc.

Analytical Chemists * Geochemists * Registered Assayers

994 Glendale Ave., Unit 3, Sparks
Nevada, U.S.A. 89431
PHONE: 775-356-5395 FAX: 775-355-0179

To: NEWMONT EXPLORATION LTD.

861 W. 6TH ST.
WINNEMUCCA, NEVADA
89445

Project : ROSEBUD
Comments: ATTN: C. BALLEW/R. VANCE PO#3637-477 (WILD ROSE)

Certificate Date: 31-AUG-1999
Invoice No. :I9925991
P.O. Number :3637-477
Account :TNI

CERTIFICATE OF ANALYSIS A9925991

SAMPLE	PREP CODE		Au ppm FA+AA	Au oz/T calc.	As ppm	Sb ppm	Hg ppb	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
4428 V	205	226	< 0.005	<0.0005	1	1.0	90	< 0.2	6.12	620	3.5	< 2	0.49	< 0.5	3	92	< 1	2.08	3.58	0.04	240
4429 R	205	226	0.085	0.0025	95	46	840	< 0.2	7.22	960	1.0	< 2	0.48	< 0.5	4	30	8	3.83	3.18	0.11	25
4430 R	205	226	< 0.005	<0.0005	1	1.2	40	< 0.2	7.70	1170	3.0	< 2	1.03	< 0.5	4	63	3	2.62	3.78	0.05	300
CHEM4431 V	205	226	0.020	0.0006	47	15.0	11830	< 0.2	3.38	200	2.0	< 2	0.32	< 0.5	1	204	3	0.96	0.31	0.04	65
CHEM4432 R	205	226	< 0.005	<0.0005	21	6.8	670	< 0.2	5.72	270	1.5	< 2	0.54	< 0.5	1	134	2	0.88	0.63	0.07	55
CHEM4433 R	205	226	0.030	0.0009	21	12.0	3410	< 0.2	6.19	300	2.0	< 2	0.16	< 0.5	1	100	2	0.76	1.26	0.03	40
LM 533 V	205	226	0.010	<0.0005	11	1.0	170	< 0.2	6.11	780	11.5	< 2	0.62	0.5	12	122	4	7.09	3.29	0.07	>10000

CERTIFICATION: _____

Chemex Labs, Inc.

Analytical Chemists * Geochemists * Registered Assayers

994 Glendale Ave., Unit 3, Sparks
Nevada, U.S.A. 89431
PHONE: 775-356-5395 FAX: 775-355-0179

To: NEWMONT EXPLORATION LTD.

861 W. 6TH ST.
WINNEMUCCA, NEVADA
89445

Project : ROSEBUD
Comments: ATTN: C. BALLEW/R. VANCE PO#3637-477 (WILD ROSE)

Certificate Date: 31-AUG-1999
Invoice No. :I9925991
P.O. Number :3637-477
Account :TNI

CERTIFICATE OF ANALYSIS A9925991

SAMPLE	PREP CODE		Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)	Se ppm
4428 V	205	226	< 1	2.06	< 1	100	32	72	0.04	7	< 10	72	< 0.2
4429 R	205	226	< 1	1.40	< 1	400	20	236	0.25	33	< 10	40	4.6
4430 R	205	226	3	2.77	< 1	340	26	176	0.09	4	< 10	86	< 0.2
CHEM4431 V	205	226	1	0.15	2	220	12	81	0.06	5	< 10	20	1.8
CHEM4432 R	205	226	1	0.25	1	210	28	54	0.06	10	< 10	42	< 0.2
CHEM4433 R	205	226	4	0.34	< 1	90	20	40	0.06	6	< 10	44	1.8
LM 533 V	205	226	3	2.04	3	130	38	143	0.03	14	< 10	748	< 0.2

CERTIFICATION: _____

Chemex Labs, Inc.

Analytical Chemists * Geochemists * Registered Assayers

994 Glendale Ave., Unit 3, Sparks
Nevada, U.S.A. 89431
PHONE: 775-356-5395 FAX: 775-355-0179

To: NEWMONT EXPLORATION LTD.

861 W. 6TH ST.
WINNEMUCCA, NEVADA
89445

Project : ROSEBUD
Comments: ATTN: C. BALLEW/R. VANCE PO#3637-477 (WILD ROSE)

Certificate Date: 31-AUG-1999
Invoice No. :I9925991
P.O. Number :3637-477
Account :TNI

CERTIFICATE OF ANALYSIS A9925991

SAMPLE	PREP CODE		Au ppm FA+AA	Au oz/T calc.	As ppm	Sb ppm	Hg ppb	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
NWRA5656	205	226	0.020	0.0006	2	0.6	10	0.2	1.93	90	2.5	< 2	0.17	0.5	1	203	1	1.28	0.29	0.03	180
NWRA5657	205	226	0.240	0.0070	14	36	4070	1.0	6.30	710	2.0	< 2	0.19	< 0.5	3	120	2	3.58	2.12	0.04	25
NWRA5658	205	226	0.030	0.0009	7	57	480	0.2	6.38	920	6.5	< 2	0.52	< 0.5	10	24	1	14.30	2.97	0.11	920
NWRA5659	205	226	0.290	0.0085	93	710	5230	4.6	5.54	430	2.0	< 2	0.21	< 0.5	4	101	4	3.66	0.97	0.04	90
NWRA5660	205	226	0.140	0.0041	2	2.0	40	3.2	7.85	1170	2.5	< 2	2.13	0.5	9	118	2	1.39	2.98	0.15	335
NWRA5661	205	226	0.260	0.0076	14	18.0	3760	1.4	4.48	140	2.5	< 2	0.32	< 0.5	3	95	2	1.44	0.24	0.02	35
NWRA5662	205	226	0.205	0.0060	130	600	1740	0.6	2.46	60	12.0	< 2	0.56	< 0.5	1	21	7	>25.0	1.55	0.08	850
NWRA5663	205	226	0.090	0.0026	11	540	1290	< 0.2	4.45	310	7.0	< 2	0.41	< 0.5	6	72	5	6.50	0.43	0.09	90
NWRA5664	205	226	0.045	0.0013	5	2.2	60	0.6	6.92	1340	2.5	< 2	1.49	0.5	5	93	1	1.46	2.86	0.16	990
NWRA5665	205	226	0.225	0.0066	109	22	520	0.8	4.77	170	3.5	< 2	0.26	< 0.5	4	106	4	6.58	0.32	0.06	165
NWRA5666	205	226	0.015	<0.0005	67	24	480	0.2	5.93	980	5.0	< 2	0.29	< 0.5	6	31	< 1	9.88	1.29	0.06	4390
NWRA5667	205	226	0.065	0.0019	139	58	1900	0.2	5.95	660	3.0	< 2	0.18	< 0.5	7	52	4	7.87	1.90	0.04	1625
NWRA5668	205	226	0.020	0.0006	19	12.0	1440	< 0.2	7.70	640	1.5	< 2	0.13	< 0.5	2	122	< 1	0.91	2.31	0.02	60
NWRA5669	205	226	0.015	<0.0005	91	32	25400	< 0.2	4.75	1030	2.5	< 2	0.78	< 0.5	2	103	1	2.51	0.30	0.05	55
NWRA5670	205	226	0.030	0.0009	16	18.0	11320	0.2	5.57	580	2.5	< 2	0.25	< 0.5	2	65	1	2.24	0.55	0.04	80
NWRA5671	205	226	0.050	0.0015	139	175	2640	< 0.2	4.61	590	6.0	< 2	0.44	< 0.5	4	60	8	>25.0	0.44	0.10	455
NWRA5672	205	226	0.030	0.0009	92	89	1150	< 0.2	4.68	110	3.0	< 2	0.38	< 0.5	3	6	3	>25.0	0.09	0.12	1340
NWRA5673	205	226	0.095	0.0028	47	44	3800	0.2	6.84	740	2.5	< 2	0.28	< 0.5	4	49	2	3.45	1.87	0.03	55
NWRA5674	205	226	0.445	0.0130	231	480	48100	0.2	3.71	670	4.0	< 2	0.30	< 0.5	7	106	3	6.06	0.99	0.07	170
NWRA3556	205	226	0.070	0.0020	36	43	6560	< 0.2	3.62	260	3.0	< 2	0.25	< 0.5	3	131	< 1	2.60	0.50	0.03	40
NWRA3557	205	226	0.030	0.0009	7	17.0	9740	< 0.2	3.88	190	2.5	< 2	0.20	< 0.5	2	108	< 1	0.65	0.32	0.01	20
NWRA3558	205	226	0.010	<0.0005	< 1	10.0	570	< 0.2	5.94	1680	8.0	< 2	0.78	0.5	18	17	< 1	10.65	2.57	0.09	5140
NWRA3559	205	226	0.510	0.0149	620	>1000	87000	< 0.2	1.98	520	62.5	< 2	0.53	< 0.5	3	6	< 1	>25.0	0.07	0.12	890
NWRA3560	205	226	0.040	0.0012	14	9.8	1150	0.2	4.78	110	2.0	< 2	0.33	< 0.5	2	75	1	0.72	0.14	0.06	35
NWRA3561	205	226	0.050	0.0015	22	24	750	0.2	6.63	850	2.0	< 2	0.31	< 0.5	3	49	4	3.58	3.10	0.08	30
NWRA3562	205	226	0.015	<0.0005	3	0.6	40	< 0.2	6.85	260	3.5	< 2	0.29	< 0.5	1	75	< 1	1.34	3.94	0.04	310
NWRA3563	205	226	0.135	0.0039	33	45	4520	< 0.2	7.48	1090	2.5	< 2	0.27	< 0.5	4	49	1	1.68	2.85	0.06	145
NWRA3564	205	226	0.030	0.0009	14	16.0	1570	< 0.2	7.04	300	2.0	< 2	0.21	< 0.5	2	58	< 1	1.46	0.99	0.04	35
NWRA3565	205	226	0.080	0.0023	27	19.5	1820	0.8	6.37	130	1.5	< 2	0.36	< 0.5	3	110	8	4.89	0.14	0.05	30
NWRA3566	205	226	0.030	0.0009	423	54	5870	0.2	5.20	420	2.0	< 2	0.34	< 0.5	7	127	5	6.99	1.07	0.05	45
NWRA3567	205	226	0.055	0.0016	344	29	5310	0.8	5.39	390	3.0	< 2	0.18	< 0.5	4	55	1	2.13	0.38	0.03	15
NWRA3568	205	226	0.025	0.0007	29	34	11760	< 0.2	2.90	140	1.5	< 2	0.33	< 0.5	4	187	3	1.22	0.34	0.05	55
NWRA3569	205	226	0.020	0.0006	25	22	2770	< 0.2	5.08	200	2.5	< 2	0.85	< 0.5	3	108	3	2.36	0.60	0.09	45
NWRA4420	205	226	0.015	<0.0005	12	3.8	1130	7.0	6.82	460	2.0	< 2	0.19	< 0.5	1	57	< 1	0.61	3.32	0.05	20
NWRA4421	205	226	0.100	0.0029	177	27	8530	36.6	4.90	250	2.0	< 2	0.15	< 0.5	1	119	3	3.06	1.04	0.03	30
NWRA4422	205	226	0.075	0.0022	59	30	2800	2.2	8.05	650	2.0	< 2	0.09	< 0.5	3	61	< 1	1.87	3.32	0.01	20
4424 R	205	226	< 0.005	<0.0005	5	0.6	260	0.2	6.88	660	4.0	< 2	0.61	< 0.5	2	78	1	1.42	3.81	0.07	765
LM4425 V	205	226	0.005	<0.0005	21	8.0	210	0.2	5.99	700	10.5	< 2	0.40	0.5	6	60	3	8.47	3.23	0.12	2870
4426 WR	205	226	< 0.005	<0.0005	2	6.0	90	< 0.2	7.19	730	2.5	< 2	0.31	< 0.5	3	32	< 1	2.35	4.42	0.09	135
4427 R	205	226	< 0.005	<0.0005	4	3.0	10	0.2	7.77	830	2.0	< 2	0.42	< 0.5	2	28	< 1	1.34	4.94	0.12	115

CERTIFICATION: _____

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO43755

American Assay Laboratories

PO BOX 11530
RENO NV,USA
Ph.(702) 356-0606, Fax.(702) 356-1413

SANTA FE PACIFIC GOLD

COPIES TO : RADU CONELEA
: RICHARD DIXON
: CHARLIE MUERHOFF
:

RECEIVED
MAY 27 1997
SANTA FE PACIFIC GOLD
RENO

CLIENT REFERENCE No: RRB12-031/038
No. SAMPLES : 8
MAIN SAMPLE TYPE : ROCK CHIPS

RECEIVED : 21 APR 1997
REPORTED : 22 MAY 1997

NEVADA LEGISLATIVE DISCLAIMER :-
The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project.

ANALYSIS	ANALYTICAL METHOD	QUALITY PARAMETER	UNIT	DETECTION
Au	FA30	15%	ppb	5
Au(R)	FA30	15%	ppb	5
Au(OZ)	FA30	15%	OPT	0.001
Au(RZ)	FA30	15%	OPT	0.001
Ag	D210	10%	ppm	0.5
Ag(OZ)	D210	10%	OPT	0.02
As	D210	10%	ppm	2
Hg	D210	10%	ppb	5
Sb	D210	10%	ppm	1

SIGNATORY : Susan King M.S.

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO43755

American Assay Laboratories

CLIENT : SANTA FE PACIFIC GOLD
PROJECT : ROSEBUD EXPLORATION
REFERENCE : RRB12-031/038

REPORTED : 22 MAY 1997

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Au(OZ) FA30 OPT	Au(RZ) FA30 OPT	Ag D210 ppm	Ag(OZ) D210 OPT	As D210 ppm
RRB12-031	19000		0.554		41.7	1.22	12
RRB12-032	337350		9.840		1283.5	37.44	475
RRB12-033	1200		0.035		12.4	0.36	21
RRB12-034	450		0.013		13.5	0.39	98
RRB12-035	866		0.025		23.5	0.69	27
RRB12-036	111		0.003		<0.5	<0.02	2
RRB12-037	52		0.002		1.5	0.04	9
RRB12-038	57		0.002		1.0	0.03	45

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO43755

American Assay Laboratories

CLIENT : SANTA FE PACIFIC GOLD
PROJECT : ROSEBUD EXPLORATION
REFERENCE : RRB12-031/038

REPORTED : 22 MAY 1997

SAMPLES	Hg D210 ppb	Sb D210 ppm
RRB12-031	293	10
RRB12-032	185	318
RRB12-033	154	34
RRB12-034	713	164
RRB12-035	518	9
RRB12-036	59	1
RRB12-037	657	2
RRB12-038	300	45

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO42484

American Assay Laboratories

CLIENT : SANTA FE PACIFIC MINING
PROJECT : ROSEBUD JV
REFERENCE : RRB12

REPORTED : 26 FEB 1997

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Ag D210 ppm	As D210 ppm	Hg D210 ppb	Sb D210 ppm
RRB12-001	66		2.8	10	76	2
RRB12-002	9		1.3	11	19	4
RRB12-003	8		<0.5	5	<5	2
RRB12-004	<5		0.7	21	119	17
RRB12-005	9		0.5	18	92	12
RRB12-006	<5	<5	<0.5	6	<5	6
RRB12-007	1000		3.4	352	67	125
RRB12-008	1471	1544	8.6	224	317	101
RRB12-009	630		19.5	57	480	22
RRB12-010	415		24.0	137	394	48

Peter B.

Chemex Labs, Inc.

Analytical Chemists * Geochemists * Registered Assayers
994 Glendale Ave., Unit 3, Sparks
Nevada, U.S.A. 89431
PHONE: 775-356-5395 FAX: 775-355-0179

To: NEWMONT EXPLORATION LTD.

861 W. 6TH ST.
WINNEMUCCA, NEVADA
89445

A9925991

Comments: ATTN: C. BALLEW/R. VANCE PO#3637-477 (WILD ROSE)

CERTIFICATE A9925991

(TNI) - NEWMONT EXPLORATION LTD.

Project: ROSEBUD
P.O. # : 3637-477

Samples submitted to our lab in Sparks, NV.
This report was printed on 31-AUG-1999.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	47	Geochem ring to approx 150 mesh
226	47	0-3 Kg crush and split
285	47	ICP - HF digestion charge
287	47	Special dig'n with organic ext'n

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
99	47	Au ppm : Fuse 30 g sample	FA-AAS	0.005	10.00
1700	47	Au oz/T: calculation	CALC.	0.0005	20.00
13	47	As ppm: HNO3-aqua regia digest	AAS-HYDRIDE/EDL	1	10000
22	47	Sb ppm: HCl-KClO3 digest, extrac	AAS-BKGD CORR	0.2	1000
20	47	Hg ppb: HNO3-HCl digestion	AAS-FLAMELESS	10	100000
578	47	Ag ppm: 24 element, rock & core	AAS	0.2	100.0
573	47	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	47	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	47	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	47	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	47	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	47	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	47	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	47	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	47	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	47	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	47	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	47	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	47	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	47	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	47	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	47	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	47	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	47	Pb ppm: 24 element, rock & core	AAS	2	10000
582	47	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	47	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	47	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	47	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	47	Zn ppm: 24 element, rock & core	ICP-AES	2	10000
16	47	Se ppm: HCl-KClO3 digest, ext	AAS-BKGD CORR	0.2	100.0

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project

Statement required by Nevada State Law NRS 519

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO42484

American Assay Laboratories

CLIENT : SANTA FE PACIFIC MINING
PROJECT : ROSEBUD JV
REFERENCE : RRB12

REPORTED : 26 FEB 1997

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Ag D210 ppm	As D210 ppm	Hg D210 ppb	Sb D210 ppm
RRB12-001	66		2.8	10	76	2
RRB12-002	9		1.3	11	19	4
RRB12-003	8		<0.5	5	<5	2
RRB12-004	<5		0.7	21	119	17
RRB12-005	9		0.5	18	92	12
RRB12-006	<5	<5	<0.5	6	<5	6
RRB12-007	1000		3.4	352	67	125
RRB12-008	1471	1544	8.6	224	317	101
RRB12-009	630		19.5	57	480	22
RRB12-010	415		24.0	137	394	48

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO42484

American Assay Laboratories

CLIENT : SANTA FE PACIFIC MINING
PROJECT : ROSEBUD JV
REFERENCE : RRB12

REPORTED : 26 FEB 1997

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Ag D210 ppm	As D210 ppm	Hg D210 ppb	Sb D210 ppm
RRB12-001	66		2.8	10	76	2
RRB12-002	9		1.3	11	19	4
RRB12-003	8		<0.5	5	<5	2
RRB12-004	<5		0.7	21	119	17
RRB12-005	9		0.5	18	92	12
RRB12-006	<5	<5	<0.5	6	<5	6
RRB12-007	1000		3.4	352	67	125
RRB12-008	1471	1544	8.6	224	317	101
RRB12-009	630		19.5	57	480	22
RRB12-010	415		24.0	137	394	48

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO42484

American Assay Laboratories

CLIENT : SANTA FE PACIFIC MINING
PROJECT : ROSEBUD JV
REFERENCE : RRB12

REPORTED : 26 FEB 1997

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Ag D210 ppm	As D210 ppm	Hg D210 ppb	Sb D210 ppm
RRB12-001	66		2.8	10	76	2
RRB12-002	9		1.3	11	19	4
RRB12-003	8		<0.5	5	<5	2
RRB12-004	<5		0.7	21	119	17
RRB12-005	9		0.5	18	92	12
RRB12-006	<5	<5	<0.5	6	<5	6
RRB12-007	1000		3.4	352	67	125
RRB12-008	1471	1544	8.6	224	317	101
RRB12-009	630		19.5	57	480	22
RRB12-010	415		24.0	137	394	48

AMERICAN ASSAY LABORATORIES

ANALYSIS REPORT SPO42484

American Assay Laboratories

CLIENT : SANTA FE PACIFIC MINING
PROJECT : ROSEBUD JV
REFERENCE : RRB12

REPORTED : 26 FEB 1997

SAMPLES	Au FA30 ppb	Au(R) FA30 ppb	Ag D210 ppm	As D210 ppm	Hg D210 ppb	Sb D210 ppm
RRB12-001	66		2.8	10	76	2
RRB12-002	9		1.3	11	19	4
RRB12-003	8		<0.5	5	<5	2
RRB12-004	<5		0.7	21	119	17
RRB12-005	9		0.5	18	92	12
RRB12-006	<5	<5	<0.5	6	<5	6
RRB12-007	1000		3.4	352	67	125
RRB12-008	1471	1544	8.6	224	317	101
RRB12-009	630		19.5	57	480	22
RRB12-010	415		24.0	137	394	48

Nouveau
Ancien