UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

STATE OF NEVADA
CHARLES H. RUSSELL, GOVERNOR
VERNON E. SCHEID, DIRECTOR, BUREAU OF MINES

PANCAKE SUMMIT QUADRANGLE

NEVADA-WHITE PINE CO.
15 MINUTE SERIES (TOPOGRAPHIC)

115°45′ — R. 55 E. — STRAWBERRY RANCH 15 MI. — 40′ — R. 56 E. — MOORE RANCH 16 MI. — 35′ — R. 57 E. — 520 000 FEET — 115°30′

39°30′ — T. 19 N. — 1 720 000 FEET

25′ — T. 18 N.

20′ — T. 17 N.

39°15′ — T. 16 N.

460 000 FEET — BULL CREEK RANCH 15 MI. — (GREEN SPRINGS) — GREEN SPRINGS 10 MI.

1 640 000 FEET

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography from aerial photographs by multiplex methods
Aerial photographs taken 1948. Field check 1951

Polyconic projection. 1927 North American datum
10,000-foot grid based on Nevada coordinate system, east zone

Dashed land lines indicate approximate locations

SCALE 1:62500

1 0 1 2 3 4 MILES

3000 0 3000 6000 9000 12000 15000 18000 21000 FEET

1 .5 0 1 2 3 4 5 KILOMETERS

CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT HALF-INTERVAL CONTOURS
DATUM IS MEAN SEA LEVEL

APPROXIMATE MEAN DECLINATION, 1951
17°
TRUE NORTH
MAGNETIC NORTH

ROAD CLASSIFICATION

Heavy-duty — 4 LANE, 6 LANE — Light-duty
Medium-duty — 4 LANE, 6 LANE — Unimproved dirt
U. S. Route — State Route

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS

FOR SALE BY U. S. GEOLOGICAL SURVEY, FEDERAL CENTER, DENVER, COLORADO OR WASHINGTON 25, D. C.

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

PANCAKE SUMMIT, NEV.
N3915—W11530/15

1951

INTERIOR-GEOLOGICAL SURVEY, WASHINGTON, D. C.-1952

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

STATE OF NEVADA
CHARLES H. RUSSELL, GOVERNOR
VERNON E. SCHEID, DIRECTOR, BUREAU OF MINES

ILLIPAH QUADRANGLE
NEVADA-WHITE PINE CO.
15 MINUTE SERIES (TOPOGRAPHIC)

115°30' 39°30' R. 58 E. 25' 20' R. 59 E. 590 000 FEET R. 60 E. 115°15'

T. 19 N. T. 18 N. T. 17 N. T. 16 N.

1 720 000 FEET

1 640 000 FEET

530 000 FEET

39°15'

ANTELOPE MOUNTAIN
Antelope Spring
Little Antelope Spr
Little Antelope Summit
BUTTE MOUNTAINS
PINE
BUSTER MOUNTAIN
Barrel Spring
Tunnel Spring
Wild Horse Spring
Sand Spring
Pond Spr
Prune Springs
Round Spr
Divide Spring
North Spr
Campbell No 1 Sheep Swan
Campbell No 2 Sheep Swan
Indian Spr
Willow Spring
Sammy Springs
Deer Spring
Robbers Roost No 2 Spring
Illipah (Moorman Ranch)
Illipah Creek
Illipah Reservoir
Jakes Pond
Cottonwood Pond
Hamilton (Historic Ruins)
Cem
RANGE
MOUNTAINS
NEVADA
MOORMAN
RIDGE
JAKES VALLEY
ELLISON CREEK ROAD
LINCOLN HIGHWAY
Mokomoke Mountains
Harris Canyon
Cottonwood Creek
NATIONAL FOREST
(PANCAKE SUMMIT)
(GREEN SPRINGS)
(TREASURE HILL)

EUREKA 33 MI.
PANCAKE SUMMIT 12 MI.
BELMONT MILL 3 MI.
TREASURE HILL 2.5 MI.
ROBINSON SUMMIT 11 MI.
ELY 28 MI.
KIMBERLY 14 MI.
20 MI. TO U.S. 6

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography from aerial photographs by multiplex methods
Aerial photographs taken 1948. Field check 1951

Polyconic projection. 1927 North American datum
10,000-foot grid based on Nevada coordinate system, east zone

Dashed land lines indicate approximate locations

17° TRUE NORTH MAGNETIC NORTH
APPROXIMATE MEAN DECLINATION, 1951

SCALE 1:62500

1 0 1 2 3 4 MILES
3000 0 3000 6000 9000 12000 15000 18000 21000 FEET
1 .5 0 1 2 3 4 5 KILOMETERS

CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT HALF-INTERVAL CONTOURS
DATUM IS MEAN SEA LEVEL

ROAD CLASSIFICATION
Heavy-duty — 4 LANE | 6 LANE — Light-duty
Medium-duty — 4 LANE | 6 LANE — Unimproved dirt
U. S. Route State Route

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, FEDERAL CENTER, DENVER, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

INTERIOR-GEOLOGICAL SURVEY, WASHINGTON, D. C.-1952

ILLIPAH, NEV.
N3915—W11515/15

1951

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

STATE OF NEVADA
VAIL PITTMAN, GOVERNOR
JAY A. CARPENTER, DIRECTOR, BUREAU OF MINES

TREASURE HILL QUADRANGLE
NEVADA–WHITE PINE CO.
15 MINUTE SERIES (TOPOGRAPHIC)

115°30′ — 39°15′ — R. 58 E. — 25′ — 20′ — R. 59 E. — 590 000 FEET — R. 60 E. — 115°15′

T. 16 N. — T. 15 N. — T. 14 N. — T. 13 N.

1 630 000 FEET — 1 550 000 FEET

39°00′ — 530 000 FEET

HAMILTON 0.3 MI. — 8.6 MI. TO U.S. 50 — GREEN SPRINGS 6.5 MI. — 12 MI. TO U.S. 6 — 7.8 MI. TO U.S. 6 ELY 33 MI.

Treasure Hill — Cem — Hidden Treasure Mine — Wheeler Tunnel — Fay Mine — Stafford Shaft — Pocotillo Mine — Aurora Mine — Eberhardt Mine — Eberhardt Tunnel — Eberhardt Cemetery — Applegarth Spr — Eberhardt (Site) — Water — BM 7709 — BM 7229 — BM 6995

Mokomoke Mountains — Cow Track Spr — Cottonwood Creek — Aspen Spr — Spring — Sixmile Spr — Sixmile Wash — Ephsum Spr — N. Sixmile — Applegarth Canyon — Cathedral Canyon — Sherman Icon — Gennon

NEVADA — NATIONAL — FOREST

Lampson Spr — Lampson Canyon — S. Sixmile — Stone Cabin Spring — Hayden Canyon — Water — Well — Butte Spr — Limestone Pk — Circle Wash Res — Circle Wash — Shellback Spring — Shellback Ridge — Circle Wash Spr — Sage Hen Spr — Indian Garden Spr — Indian Garden Mtn — Stove Spr — Tom Plain Spr — Deadman — Deadman Res — Mustang Spr Res — Mud Spr — Bald Mtn — Boundary — Forest — National

Freeland Canyon — Freeland Spr — Cherry Spr — Rock Spr — Ellison Ranger Sta — Ellison Creek — Black Butte — Indian Creek — Indian Springs — Creek Spring — Willow Grove — Ellison Spr — Copper — Blackrock Spring — Blackrock Canyon

JAKES VALLEY

SCALE 1:62500

1 ½ 0 1 2 3 4 MILES

3000 0 3000 6000 9000 12000 15000 18000 21000 FEET

1 .5 0 1 2 3 4 5 KILOMETERS

CONTOUR INTERVAL 40 FEET
DATUM IS MEAN SEA LEVEL

Mapped, edited, and published by the Geological Survey

Control by USGS

Topography from aerial photographs by multiplex methods
Aerial photographs taken 1947–1948. Field check 1949

Polyconic projection. 1927 North American datum
10,000-foot grid based on Nevada coordinate system, east zone

Dashed land lines indicate approximate location

17° TRUE NORTH MAGNETIC NORTH
APPROXIMATE MEAN DECLINATION, 1949

ROAD CLASSIFICATION

HARD-SURFACE ALL WEATHER ROADS	DRY WEATHER ROADS
Heavy-duty — 4 LANE 16 LANE	Improved dirt
Medium-duty — 4 LANE 16 LANE	Unimproved dirt
Loose-surface, graded, or narrow hard-surface	

U. S. Route — State Route

TREASURE HILL, NEV.
N3900—W11515/15

EDITION OF 1950

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS

FOR SALE BY U. S. GEOLOGICAL SURVEY, FEDERAL CENTER, DENVER, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

STATE OF NEVADA
CHARLES H. RUSSELL, GOVERNOR
VERNON E. SCHEID, DIRECTOR, BUREAU OF MINES

GREEN SPRINGS QUADRANGLE
NEVADA
15 MINUTE SERIES (TOPOGRAPHIC)

115°45′ — 40′ — 35′ — 115°30′ — 520 000 FEET
39°15′ — 10′ — 5′ — 39°00′
R. 55 E. — R. 56 E. — R. 57 E.
T. 16 N. — T. 15 N. — T. 14 N. — T. 13 N.
1 630 000 FEET — 1 550 000 FEET

12 MI. TO U.S. 50 (PANCAKE SUMMIT)
ILLIPAH 26 MI. 12 MI. TO U.S. 50 (ILLIPAH)
HAMILTON 7.4 MI.
(TREASURE HILL)
EUREKA 41 MI. 31 MI. TO U.S. 50
DUCKWATER 8.3 MI. CURRANT (U.S. 6) 23 MI.
DUCKWATER (NEV. 20) 9.4 MI.

RANGE
MOUNT HAMILTON
FOREST BOUNDARY
NATIONAL
Monte Cristo (Site)
Monte Cristo Spring
Hoppe Spr
McEllen Canyon
Babylon Ridge
Ne Plus Ultra Mine
Homestake Mine
Grand Prize Mine
Great Valley Mine
Ora Mine
Shermantown
Shermantown Canyon
Spring
Oil Well
Windmill
Green Springs
Green Springs Reservoir
Cathedral Canyon
Lampson Canyon
Birch Spr
Freeland Canyon
Bull Creek Ranch
Bull Creek
Black Point
Spring
VABM 6661
VABM 7678
VABM 6825
VABM 10745
VABM 7725
BM 6421
BM 6433
BM 6463
BM 6502
BM 6368
BM 6157
BM 6774
BM 6428
BM 6068
BM 6127
BM 6124
BM 6515
BM 6264
BM 5788
BM 5679
RANGE
CANYON
VALLEY
RANGE
RANGE
APPROXIMATE BOUNDARY
WHITE PINE CO. — NYE CO.

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography from aerial photographs by multiplex methods
Aerial photographs taken 1948. Field check 1951

Polyconic projection. 1927 North American datum
10,000-foot grid based on Nevada coordinate system, east zone

Dashed land lines indicate approximate locations

SCALE 1:62500

1 0 1 2 3 4 MILES
3000 0 3000 6000 9000 12000 15000 18000 21000 FEET
1 .5 0 1 2 3 4 5 KILOMETERS

CONTOUR INTERVAL 40 FEET
DATUM IS MEAN SEA LEVEL

17° TRUE NORTH MAGNETIC NORTH
APPROXIMATE MEAN DECLINATION, 1951

ROAD CLASSIFICATION
Heavy-duty — 4 LANE | 6 LANE — Light-duty
Medium-duty — 4 LANE | 6 LANE — Unimproved dirt
U. S. Route — State Route

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, FEDERAL CENTER, DENVER, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

INTERIOR-GEOLOGICAL SURVEY, WASHINGTON, D. C.-1952

GREEN SPRINGS, NEV.
N3900—W11530/15
1951